

1254 Chestnut Street Newton, MA 02464-1418 Tel: (617) 965-5511

Fax: (617) 965-5818

MATERIAL SAFETY DATA SHEET

PAGE 1 29 June 2006

SECTION 1. CHEMICAL IDENTIFICATION ------

CHEMICAL NAME: Organic Polymer Solution

TRADE NAME: MMA(8.5)MAA Copolymer Series Resists

Positive Radiation Sensitive Resists

PRODUCT #: See Table 1 – Section 9

SECTION 2. COMPOSITION------

HAZARDOUS

INGREDIENTS: Ethyl Lactate (CAS: 97-64-3); 85-98% (See Table 1 – Section 9)

OTHER

INGREDIENTS: Poly(methylmethacrylate/methacrylic acid) (CAS: 25086-15-1)

SECTION 3. HAZARD DATA-----

INFLAMMABILITY: Flammable liquid. SKIN CONTACT: May cause irritation. EYE CONTACT: Irritating to eyes.

INHALATION: Irritating to respiratory system.

MUTAGENICITY: Unknown

CARCINOGENICITY: Not listed in NTP, IARC, or OSHA as a carcinogen. Eyes, Skin, Respiratory System, Nervous System.

SECTION 4. FIRST AID MEASURES-----

INHALATION: If inhaled, remove to fresh air. Contact physician if necessary.

INGESTION: Administer water or milk to dilute. Contact a physician or local poison

center immediately. DO NOT induce vomiting.

SKIN CONTACT: Wash with soap and water. Flush with large quantities of water. If

irritation persists call a physician.

EYE CONTACT: Rinse immediately with water, flush for 15 min. Contact a physician

immediately.

SECTION 5. FIRE FIGHTING MEASURES-----

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, and foam.

SPECIAL FIRE FIGHTING

PRECAUTIONS: Wear self-contained breathing apparatus (SCBA) and

personal protective equipment to prevent contact with skin

and eyes.

UNUSUAL FIRE OR

EXPLOSION HAZARDS: Heat will build pressure and may rupture closed containers.

Keep containers cool with water spray.

CHEMICAL NAME: Organic Polymer Solution

TRADE NAME: MMA(8.5)MAA Copolymer Resists

Positive Radiation Sensitive Resists

PRODUCT #: See Table 1 – Section 9

SECTION 6. ACCIDENTAL RELEASE PROCEDURES -----

EVACUATION

PROCEDURES & SAFETY: Wear appropriate protective gear for the situation. See Personal

Protection information in Section 8. Eliminate all sources of

ignition. Do not breathe vapors or dust.

CLEANUP & DISPOSAL

OF SPILL:

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container. Use clean, non-sparking tools to

collect absorbed material.

ENVIRONMENTAL &

REGULATORY REPORTING: Do not flush to drain. If required proper authorities should be

notified.

SECTION 7. STORAGE AND HANDLING PRECAUTIONS-----

STORAGE: Store in tightly closed container in a cool, dry, well-ventilated

environment away from ignition source.

HANDLING: Use only under yellow light.

Keep away from heat, sparks, and flames.

Use only with mechanical exhaust.

Do not contact with skin, eyes, and clothing. Avoid prolonged or repeated contact with skin.

Do not breathe vapors or mist.

Wash with soap and water after handling. Have safety shower and eye wash available. Store and transfer under a blanket of dry inert gas.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION-----

RESPIRATORY

PROTECTION: Under normal conditions, use of air-purifying (half-mask/full-face)

respirator with cartridges/canisters approved for use against organic

vapors, dust, mists and fumes is recommended.

VENTILATION: Local or general mechanical ventilation is required.

SKIN PROTECTION: Chemical resistant gloves are recommended.

EYE PROTECTION: Safety goggles are recommended.

SECTION 9. PHYSICAL AND CHEMICAL DATA-----

APPEARANCE: Clear, colorless liquid

ODOR: Mild, pleasant
BOILING POINT: 153 °C (308 °F)
SPECIFIC GRAVITY: See Table 1 below
VAPOR PRESSURE: 2.7 mm @ 20 °C (68 °F)

VAPOR DENSITY: 4.1 (air=1)

MATERIAL SAFETY DATA SHEET

PAGE 3 29 June 2005

CHEMICAL NAME: Organic Polymer Solution

TRADE NAME: MMA(8.5)MAA Copolymer Resists

Positive Radiation Sensitive Resists

PRODUCT #: See Table 1 – Section 9

H₂O SOLUBILITY: See Table 1 below % VOLATILES: See Table 1 below EVAPORATION RATE: <1 (BuAc=1) 61 °C (141 °F) CC

EXPLOSION LIMITS: 1.5% lower 11.4% upper

AUTO IGNITION TEMP: 400 °C (752 °F)

Table 1

Name	Product#	Specific Gravity	Volatiles (% by wt.)	H2O Solubility (% by wt)	VOC (g/L)
8.5EL2	M310002	1.030	98	98	1015
8.5EL3	M310003	1.032	97	97	1005
8.5EL4	M310004	1.035	96	96	995
8.5EL5	M310005	1.038	95	95	985
8.5EL6	M310006	1.04	94	94	980
8.5EL7	M310007	1.043	93	93	975
8.5EL8	M310008	1.045	92	92	965
8.5EL9	M310009	1.047	91	91	955
8.5EL10	M310010	1.048	90	90	945
8.5EL11	M310011	1.051	89	89	935
8.5EL12	M310012	1.052	88	88	925
8.5eEL12.5	M310512	1.053	87.5	87.5	920
8.5EL13	M310013	1.055	87	87	920
8.5EL14	M310014	1.057	86	86	910
8.5EL15	M310015	1.058	85	85	900

SECTION 10. REACTIVITY DATA ------

STABILITY: Stable

INCOMPATIBILITY: Oxidizing agents, Bases, Acids

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS COMBUSTION OR

DECOMPOSITION PRODUCTS: Carbon Monoxide, Carbon Dioxide

SECTION 11. TOXICITY HAZARDS-----

ACUTE EFFECTS:

As Ethyl Lactate:

ORAL: LD50 (mouse): 2500 mg/kg

MATERIAL SAFETY DATA SHEET

PAGE 4 29 June 2005

CHEMICAL NAME: Organic Polymer Solution

TRADE NAME: MMA(8.5)MAA Copolymer Resists

Positive Radiation Sensitive Resists

PRODUCT #: See Table 1 – Section 9

DERMAL: LD50 (rabbit): 5000 mg/kg

INHALATION: LC50 (rat, 8hr): >5400 mg/m³

SECTION 12. ECOLOGICAL DATA-----

No data available at this time.

SECTION 13. DISPOSAL CONSIDERATIONS-----

Comply with applicable local, state or international regulations regarding the proper disposal of this material and/or containers.

SECTION 14. TRANSPORTATION INFORMATION-----

HAZARD CLASSIFICATION: Flammable Liquid SHIPPING NAME: Resin Solution UN 1866

PACKING GROUP III

SECTION 15. REGULATORY INFORMATION-----

EUROPEAN INFORMATION

EINECS LISTED

EC Nos: Ethyl Lactate 202-598-0 RISK & SAFETY PHRASES R10 Flammable

R37 Irritating to respiratory system.
R41 Risk of serious damage to eyes.

S24 Avoid contact with skin.

In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

Wear eye/face protection.

INDICATIONS OF DANGER

Xi Irritant

US AND INTERNATIONAL INFORMATION

HAZARDOUS LISTINGS: All ingredients appear on the TSCA Inventory of

Chemical Substances, EINECS, Canadian DSL and the

Japan ENCS Listing.

MATERIAL SAFETY DATA SHEET

PAGE 5 29 June 2005

CHEMICAL NAME: Organic Polymer Solution

TRADE NAME: MMA(8.5)MAA Copolymer Resists

Positive Radiation Sensitive Resists

PRODUCT #: See Table 1 – Section 9

SARA Title III: This product IS NOT subject to SARA Title III, Section

313 Reporting Requirements.

Calif. SCAQMD Rule 443.1 VOC's: See Table 1 – Section 9

SECTION 16. ADDITIONAL PRECAUTIONS AND COMMENTS-----

National Fire Protection Association Hazard Ratings – NFPA:

2 Health Hazard Rating

- 2 Flammability Rating
- 0 Reactivity Rating

To the best of our knowledge, the above information is believed to be accurate but does not claim to be all-inclusive and is intended to be used only as a guide. The supplier makes no warranty of any kind, expressed or implied, concerning the use of this product and shall not be held liable for any damage resulting from handling or from contact with the above product. User assumes all risks incident to its use.

MSDS Revision Information:

A) Changed NFPA code from 2 3 0 to 2 2 0.